

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	schwartz.inv. and siebel.asn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 17:59
S2	2	S1 and (identifier\$1 or id\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:48
S3	22	((("6721787") or ("6636873") or ("5867688") or ("5862327") or ("5974238") or ("5991771") or ("6233577") or ("6295541") or ("6269369") or ("6317797") or ("6611849")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:50
S4	26132	retriev\$3 with (id\$1 or identifier\$1 or pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:53
S5	2	S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:53
S6	2	S1 and pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:56
S7	2	"6694336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:58
S8	1	S7 and (pointer\$1 or id\$1 or identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 15:58
S9	6	((("5216515") or ("5826165") or ("6269361")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/09 16:55

S10	88	non adj adjacent adj node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 17:44
S11	20	S10 same path\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 17:44
S12	2	"6477543".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:01
S13	1	S12 and (id\$1 or identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:02
S14	7145	(synchroniz\$5 with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:44
S15	438835	(client\$1 or server\$1 or pda or handheld or (wireless adj (device or terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:03
S16	39838	(synchroniz\$5 with (database\$1 or memory or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:06
S17	68697	(synchroniz\$5 same (database\$1 or memory or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:03
S18	12316	S17 and S15 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:04
S19	2642	S17 same S15 same S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:04

S20	5799	707/200-206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:05
S21	541	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:05
S22	64	S21 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:05
S23	20	S22 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:05
S24	2611	(synchroniz\$5 with database\$1).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:05
S25	4	S24 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:05
S26	10	(synchroniz\$5 with (database\$1 or memory or repositor\$3)) with (handheld or pda).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:06
S27	17	"5581757".UREF. OR "5581757". PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:12
S28	3	S27 AND S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:27
S29	2	"5857201".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 18:27

S30	23	geckil.xp. and extraction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:30
S31	0	synhroniz\$4 with (pda or palm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:30
S32	1313	synchroniz\$9 with (pda or palm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:44
S33	306	S32 and extract\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:31
S34	93	S32 and (extract\$4 with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:32
S35	40	S34 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:47
S36	40	extraction adj (id or identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 13:33
S37	1310	sync\$10 adj (identifier\$1 or number or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:59
S38	7682	(synchroniz\$5 with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:44
S39	14905	synchroniz\$9 with (pda or palm or handheld or wireless or cellular or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:00

S40	23856	(repository or database) near2 record\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:45
S41	4520	(match\$3 or compar\$6) same S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:46
S42	2	S41 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:46
S43	2	S37 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:46
S44	24	S37 and S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:46
S45	8	S44 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:48
S46	4	S45 and (match\$3 or map\$5 or compar\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:49
S47	4	S46 and (identifier\$1 or id\$1 or number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 14:59
S48	1	S47 and (pda or palm or handheld or wireless or cellular or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:24

S49	28	((("6721787") or ("6636873") or ("5867688") or ("5862327") or ("5974238") or ("5991771") or ("6233577") or ("6295541") or ("6269369") or ("6317797") or ("6611849") or ("6000000") or ("6694336") or ("6477543"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:59
S50	22	S49 and (identifier\$1 or id\$1 or number\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:07
S51	22	((("5,684,990") or ("5,812,819") or ("5,845,293") or ("6,002,852") or ("6,006,274") or ("6,233,600") or ("6,237,024") or ("6,393,434") or ("6,564,263") or ("6,694,335") or ("6,718,348"))).PN. or ((2001/0055017) or (2002/0010807) or (2002/0029227) or (2002/0052952) or (2002/0056011)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:59
S52	15	S51 and database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:24
S53	9	S52 and (pda or palm or handheld or wireless or cellular or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/15 15:28
S54	1314	sync\$10 adj (identifier\$1 or number or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:59
S55	22	((("5,684,990") or ("5,812,819") or ("5,845,293") or ("6,002,852") or ("6,006,274") or ("6,233,600") or ("6,237,024") or ("6,393,434") or ("6,564,263") or ("6,694,335") or ("6,718,348"))).PN. or ((2001/0055017) or (2002/0010807) or (2002/0029227) or (2002/0052952) or (2002/0056011)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:04

S56	28	((("6721787") or ("6636873") or ("5867688") or ("5862327") or ("5974238") or ("5991771") or ("6233577") or ("6295541") or ("6269369") or ("6317797") or ("6611849") or ("6000000") or ("6694336") or ("6477543"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:00
S57	1	(S55 or S56) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:00
S58	1316	synchroniz\$9 with (pda or palm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:00
S59	7699	(synchroniz\$5 with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:00
S60	1314	sync\$10 adj (identifier\$1 or number or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:01
S61	23899	(repository or database) near2 record\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:01
S62	4529	(match\$3 or compar\$6) same S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:37
S63	2	S60 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:01
S64	23899	(repository or database) near2 record\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:01

S65	2	S60 and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:02
S66	24	S60 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 15:02
S67	8	S66 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:32
S68	7740	(synchroniz\$5 with database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:30
S69	1316	sync\$10 adj (identifier\$1 or number or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:30
S70	24	S69 and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:32
S71	46	(receiv\$3 or retriev\$3) near3 ((sync or synchronization) adj (id or identifier or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:32
S72	21	S71 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:39
S73	6	S72 and (pda or handheld or wireless or (hand adj held) or cellular or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:34
S74	24	((("6233577") or ("6721787") or ("5991771") or ("5974238") or ("6611849") or ("6317797") or ("6269369") or ("6295541") or ("5862327") or ("5867688") or ("6006274") or ("6636873"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:36

S75	8	S74 and (id or identifier\$1) and (sync or synchron\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/26 10:36
S76	610	(pda or mobile or handheld or cellular or wireless or (hand adj held)) near4 retriev\$3 near4 (id or identifier or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:16
S77	12	S76 and ((synchroniz\$4 or sync) with (database\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:16
S78	12	S77 and (id or identifier or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:15
S79	22014	(version or synchroniz\$6 or sync)near2 (id or identifier or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:15
S80	16	S79 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:15
S81	11443	(pda or mobile or handheld or cellular or wireless or (hand adj held)) near4 (id or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:04
S82	6547	((synchroniz\$4 or sync) with (database\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:13
S83	45	S82 and S81 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:16
S84	33	S83 and (updat\$3 or upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:17

S85	53215	(retriev\$3 or extract\$4)near3 (identifier or id or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:17
S86	73254	(retriev\$3 or extract\$4)near5 (identifier or id or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:20
S87	20	S86 and S82 and S81 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:17
S88	24	("5640566" "5831664" "5857201" "5862327" "5867688" "5974238" "5991771" "6000000" "6189011" "6205448" "6212529" "6216135" "6233577" "6233617" "6269369" "6272545" "6295541" "6317797" "6330715" "6374245" "6606649" "6611849" "6636873" "6721787" "PCTUS209161" "PCTUS305753"):PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/28 10:19
S89	24	S88 and (identifier or id or number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:21
S90	23	(updat\$3 or upgrad\$3 or synchroniz\$4 or sync) and (database\$1 or repositor\$3) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:04
S91	22	S90 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 10:23
S92	17096	(pda or mobile or handheld or cellular or wireless or (hand adj held)) near4 (retriev\$3 or extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:43

S93	2832	(updat\$3 or upgrad\$3 or synchroniz\$4 or sync) and (database\$1 or repositor\$3) and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:19
S94	1394	(updat\$3 or upgrad\$3 or synchroniz\$4 or sync) same (database\$1 or repositor\$3) and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:04
S95	27388	(updat\$3 or upgrad\$3 or synchroniz\$4 or sync)with (pda or mobile or handheld or cellular or wireless or (hand adj held))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:19
S96	925	S95 and S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:19
S97	1103	(updat\$3 or upgrad\$3 or synchroniz\$4 or sync) with (database\$1 or repositor\$3) and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:20
S98	752	S96 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:20
S99	607	(match\$3 or compar\$6) AND S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:24
S100	63740	(match\$3 or compar\$6) WITH (DATABASE\$1 OR REPOSITOR\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:38
S101	304	S100 AND S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:38
S102	101	S101 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:13

S10 3	1150	(pda or mobile or handheld or cellular or wireless or (hand adj held)) near4 (retriev\$3 or extract\$4) WITH SERVER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:43
S10 4	1793	(pda or mobile or handheld or cellular or wireless or (hand adj held)) near4 (retriev\$3 or extract\$4) WITH (DATABASE OR REPOSITORY OR SERVER)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:08
S10 5	17	S104 AND S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:48
S10 6	4	"6330715".pn. or "5857201".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 11:48
S10 7	5960	(pda or mobile or handheld or cellular or wireless or (hand adj held)) near4 (retriev\$3 or extract\$4 or receiv\$3) near4 (id or record or code or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:09
S10 8	174	S107 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:09
S10 9	17	S108 and S100 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:13
S11 0	103	"5684990".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:13
S11 1	53	S82 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:13
S11 2	48	S111 and @ad<"20010328"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:22

S11 3	2	"6839744".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:24
S11 4	1	(match\$3 or compar\$6) AND S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 12:25